



- Summary Report -


Test Product:	Semax & Selank 20mg	Receive Date:	07-11-26
Client:	Grey Axis Research	Batch/Lot #:	GX-SXSK20-1726
Description:	3ml clear glass vial of white lyophilized powder. (Trans Red Cap / Silver Crimp)		
		Manufacturer:	N/A

COMPONENT	TEST	SPECIFICATION	RESULT
1. Semax	Quantitative Assay	10mg/vial (NLT 90%)	10.53mg ∴ Pass
2. Selank	Quantitative Assay	10mg/vial (NLT 90%)	10.37mg ∴ Pass
	Percent Purity	NLT 95%	N/A
	Correlation Coefficient	$r_{xy} = \frac{\sum_{i=1}^n (x_i - \bar{x}) \cdot (y_i - \bar{y})}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2} \cdot \sqrt{\sum_{i=1}^n (y_i - \bar{y})^2}}$	

Tested on a Jenway 6715 UV/Vis Spectrophotometer.

Discussion:

Sample received sealed and in good condition.



Performing Analyst Initial & Date:  17 July 2026

This data is presented in good faith and not warranted as to the accuracy of results. Use of this information "as is" shall be at the risk of the user, and independent verification is the sole responsibility of the user. Analytical Formulations Inc. disclaims any liability incurred related to the misuse of this data. This report does not grant permission to assert any nutritional claims, nor does it give license to use any existing patents or copyrights pertaining to the product samples, or any individual component of said goods. This report may not be reproduced, except in its totality, without the prior, express written consent of Analytical Formulations Inc.