



- Summary Report -

Test Product: GHK-Cu 1g

Receive Date: 07-16-26

Client: Grey Axis Research


Batch/Lot #: GX-GHKCu1g-26

Description: 2ml plastic vial of blue, raw material powder.

Manufacturer: N/A

COMPONENT	TEST	SPECIFICATION	RESULT
GHK-Cu	Qualitative ID KBr Pellet	Test sample matches standard for major identification peaks.	Matches ∴ Pass
	Percent Purity Correlation Coefficient	NLT 90% (QC Comparison)	99.1% ∴ Pass

Tested on a Mattson ATI Genesis FT-IR Spectrophotometer.



Standard: GHK-Cu STD (Jkbnkxc, Lot# 0125, NLT 99%)

Test Sample: GHK-Cu TS

Performing Analyst Initial & Date:  23 July 2026

This data is presented in good faith and not warranted as to the accuracy of results. Use of this information "as is" shall be at the risk of the user, and independent verification is the sole responsibility of the user. Analytical Formulations Inc. disclaims any liability incurred related to the misuse of this data. This report does not grant permission to assert any nutritional claims, nor does it give license to use any existing patents or copyrights pertaining to the product samples, or any individual component of said goods. This report may not be reproduced, except in its totality, without the prior, express written consent of Analytical Formulations Inc.